



ALLEGION™



Cylinders and key blanks

Quick reference guide



The height of security.

Introducing a whole new look for high-security key systems. With a new undercut design and patent protection until 2029, the all-new Everest 29™ key system delivers unparalleled security that can't be duplicated. Available in full size and SFIC cylinder formats, Everest 29 is backward compatible with current Everest B, C and D keyways, making migration of an existing key system less complex.

Schlage has reinvented high security key systems.


In settings like schools, hospitals and universities, key systems are the foundation of a comprehensive, multi-level security management system. Everest 29 delivers a higher level of security because it cannot be duplicated without authorization. Its distinctive design is based on creating a key like no other.

Patent protection until 2029

thanks to a new undercut design that provides patent protection for Everest 29 keys until 2029.

Distinctive bow

a larger, rounded key bow creates quick visual differentiation between Everest and Everest 29.




Everest 29™ through-cut technology

utilizes a unique process to create the patented Everest 29 undercut design.

Proven strength



















shear-strength tested to perform with the same toughness and reliability the Everest family is known for.

Backward compatibility makes it simple to migrate your key system to Everest 29.










Cylinders & key blanks

Cylinders for Schlage locks











		Conventional 23-013 Primus 20-750 Primus UL 20-550 Primus XP 20-750-XP Primus XP UL 20-550-XP	21-020 20-728 20-765 20-528 20-565 20-728-XP 20-765-XP 20-528-XP	23-065 20-765 20-565 20-765-XP 20-565-XP 20-765-XP		Conventional 23-001 Primus 20-748 Primus UL 20-548 Primus XP 20-748-XP Primus XP UL 20-548-XP	21-002 20-724 20-524 20-724-XP 20-524-XP 20-724-XP	21-002-122 20-724-122 20-524-122 20-724-122-XP 20-524-122-XP 20-724-122-XP
		Conventional 21-059 Primus 20-752 Primus UL 20-552 Primus XP 20-752-XP Primus XP UL 20-552-XP			5-pin 22-001 6-pin 22-002 Primus 20-729 Primus UL 20-529 Primus XP 20-729-XP Primus XP UL 20-529-XP			Conventional 22-003 Primus 20-188 Primus UL 20-190 Primus XP 20-188-XP Primus XP UL 20-190-XP *1 3/8" listed only
See literature for B-Series lazy tailpieces.								
		B600 Conventional 22-642 22-643 22-645 22-644 22-646 22-645 22-742 22-646 22-744	B700 Primus/Primus XP 22-645 22-646 22-742 22-744 22-744	B800 Primus/Primus XP UL 22-542 22-543 22-544 22-545 22-546		PL-Series padlock Conventional 47-410 Primus 47-740 Primus UL 47-540 Primus XP 47-740-XP Primus XP UL 47-540-XP		KS-Series padlock Conventional 47-410 Primus 47-740 Primus UL 47-540 Primus XP 47-740-XP Primus XP UL 47-540-XP
		KC-Series cable 47-414 47-744 47-543		CL-Series cabinet 20-172 Primus 20-772 Primus UL 20-572 Primus XP 20-772-XP Primus XP UL 47-572-XP		CL-Series drawer 20-174 Primus 20-774 Primus UL 20-574 Primus XP 20-774-XP Primus XP UL 47-574-XP		BEL, GEO, PLY, SIE 29-016 (shown) ORB 29-017 ACC, FLA, AVA 29-018

Cylinders for other brands of locks

	Conventional 24-139 Primus 20-739 Primus UL 20-539 Primus XP 20-739-XP Primus XP UL 20-539-XP		Conventional 24-147 Primus 20-747 Primus UL 20-547 Primus XP 20-747-XP Primus XP UL 20-547-XP		Conventional 24-119 Primus 20-719 Primus UL 20-519 Primus XP 20-719-XP Primus XP UL 20-519-XP
	Conventional 24-127 Primus 20-727 Primus UL 20-527 Primus XP 20-727-XP Primus XP UL 20-527-XP		Conventional 24-123 Primus 20-723 Primus UL 20-523 Primus XP 20-723-XP Primus XP UL 20-523-XP		Conventional 24-126 Primus 20-726 Primus UL 20-526 Primus XP 20-726-XP Primus XP UL 20-526-XP
Note: Sargent and Yale require special plug with smaller head.					
					Conventional 24-120 Primus 20-720 Primus UL 20-520 Primus XP 20-720-XP Primus XP UL 20-520-XP

Mortise cylinders

Consult product literature for hotel function cylinders and variations with collars.

Standard			Conventional Primus Primus UL	 30-021 20-793 20-593	 26-021 20-701 20-501	 20-013* 20-706* 20-506*	 26-073 20-708 20-508	
	Full size interchangeable core			Less core Standard core Primus core	30-016 30-008* 20-798*	L9060 only 30-032 30-030* 20-782	Other applications 20-059 26-091* 20-763	26-060 20-062* 20-766*
Small format interchangeable core (best style)				Less core Everest core	80-108 80-308	L9060 only 80-104 80-304	Other applications 80-102 80-302	80-103 80-303

* Designates numbers which include collars. See price book for additional cam and collar variations.

EVEREST 29™

Conventional




Standard for all control keys and all T Family keys. Optional for S Family 35-268 operating 35-269 control




Standard front for S Family 35-270



Plain both sides 35-272



Back of all except 35-272




Back of 35-269

Primus®XP

All Primus XP blanks require proper authorization.



Standard Front 35-199-XP Operating 35-273-XP Control



Back of all except 35-215-XP 35-138-XP




Plain both sides 35-138-XP control 35-215-XP operating

PRIMUS

All Primus blanks require proper authorization.



Standard front 35-199 operating 35-273 control




Back of all except 35-215 35-138



Plain both sides 35-138 control 35-215 operating

EVEREST®

Conventional



6-pin Control




Standard for all control keys and all D Family keys. Optional for C Family 35-002 operating 35-003 control




Standard front For C Family 35-009



Plain both sides 35-015




Back of all except 35-015



Back of 35-003



Standard front 35-004-XP operating 35-005-XP control



Back of all except 35-012-XP 35-013-XP



Plain both sides 35-013-XP control 35-012-XP operating

Interchangeable cores

Full size




Conventional 23-030
Primus 20-740
Primus XP 20-740-XP

Small format



Everest restricted uncombined 80-036
Everest restricted combined 80-037
Generic 7-pin uncombined 80-033
Generic 6-pin uncombined 80-043

Rim cylinders



Standard (shown)

Conventional 20-022
Primus 20-710
Primus UL 20-510

Full size IC

Less core 20-079
Conventional core 20-057
Primus core 20-757

Small format IC

Less core 80-129
Everest core 80-329

Pins & springs

For full size cylinders



0 34-300
1 34-301
2 34-302
3 34-303
4 34-304
5 34-305
6 34-306
7 34-307
8 34-308
9 34-309



2 34-202
3 34-203
4 34-204
5 34-205
6 34-206
7 34-207
8 34-208
9 34-209



1 34-101
2 34-102
3 34-103



"T" F506-451



Std. C503-113
"T" F506-453
Top pin springs



C603-951
Check pin spring



34-007
Everest check pin



C603-827 IC Cap pin

Mortise cylinder cams

Schlage L Series Modular cylinder cams most functions



L583-475 For cyl. length 1 1/4", 1 1/2", 1 3/4"



L583-474 For cyl. length 1 1/8", 1 3/8", 1 5/8"

Schlage L Series (Legacy) cams most functions



L582-254 Classic conv. hole pattern



L583-153 Everest & Primus hole pattern



L583-255 Interchangeable core hole pattern



XL11-895 Corbin Russwin IC



L583-198 Corbin Russwin non-IC



L583-197 Sargent & Yale non-IC

Schlage L9060 and non-deadbolt functions of many other brands. Also most old cast iron locks



B502-191 B502-948 K510-680 K510-730 L583-476 L583-477 Classic conventional Everest 29 & Primus XP Schlage IC & SFIC, L9060 outside only Schlage IC & SFIC, other applications Modular 1/8", 3/8", 5/8 Modular 1/4", 1/2", 3/4

Adams Rite® MS and 4700 Series Lori 4500 deadlock CR DL3000 deadlock



L583-446 L583-447 B502-292 B502-944 K510-711 Modular 1/8", 3/8", 5/8 Modular 1/4", 1/2", 3/4 Classic conventional Everest 29 & Primus XP Schlage IC & SFIC

Most Corbin Russwin® and Best® functions



B520-233 B520-309 B520-253 Classic conventional Everest 29 & Primus XP Schlage IC

Sargent® & Yale®



B520-256 B520-329 B520-296 Classic conventional Everest 29 & Primus XP Schlage IC

Corbin Russwin DL4000 Series deadlock



B520-295 B520-366 B520-254 Classic conventional Everest 29 & Primus XP Schlage IC

Adams Rite® 4070



B502-380 B502-945 B520-378 Classic conventional Everest 29 & Primus XP Schlage IC & SFIC

For other cams, consult the latest Schlage price book.



Cam screw

B502-468 Classic conventional
B502-942 Everest 29 & Primus XP
L583-200 Full size IC
B520-484 Small format IC



B520-692 1"



B520-691 3/4"



B520-690 1/2"


CLASSIC

Primus

All Primus blanks require proper authorization.



Standard front
35-004 operating
35-005 control




Back of all
except
35-012
35-013




Plain both sides
35-013 control
35-012 operating

Classic




Large bow
35-140 5-pin
35-141 6 pin
35-116 Primus

Access bow
35-1435 5-pin
35-1446 6 pin
35-115 Primus



Conventional back


Conventional back




Primus back

Primus back

Conventional



5-pin
6-pin
Control



Standard
front and back
35-100 5-pin
35-101 6 pin
35-056 control




Plain both sides
35-130 5-pin
35-131 6 pin
35-076 control

Primus®XP

All Primus XP blanks require proper authorization.



Standard front
35-157-XP operating
35-158-XP control



Back of all




Plain front
35-053-XP operating
35-052-XP control

Primus

All Primus blanks require proper authorization.



Standard front
35-157 operating
35-158 control



Back of all



Plain front
35-053 operating
35-052 control

SFIC

Small format IC


Everest B Family
restricted keyways




35-401
Front and
back
35-021
Plain both
sides
End user and
dealer keyways
all require proper
authorization




35-400
Standard
front and
back



Plain both sides
35-264




Everest
facility code




S Family Open Keyway


Same for Conventional and Primus



Conventional obverse keyways



Primus obverse keyways



About Allegion

Allegion (NYSE: ALLE) creates peace of mind by pioneering safety and security. As a \$2 billion provider of security solutions for homes and businesses, Allegion employs more than 8,000 people and sells products in more than 120 countries across the world. Allegion comprises more than 25 global brands, including strategic brands CISA®, Interflex®, LCN®, Schlage® and Von Duprin®.

For more, visit www.allegion.com

aptiQ ■ LCN ■ **SCHLAGE** ■ STEELCRAFT ■ VON DUPRIN